

---

---

# CANADIAN JOURNAL OF PLANT SCIENCE

VOLUME 47, 1967



Published by the  
AGRICULTURAL INSTITUTE OF CANADA  
151 Slater Street, Ottawa, Canada

---

---



## CONTENTS OF VOLUME 47

- Aalders, J. E.** See Craig, D. L., 116.  
**Allard, O.** See Dionne, J. L., 563.  
**Allen, H. T. and Walkof, C.** Rocket tomato, 117.  
**Anderson, R. G.** See Campbell, A. B., 330.  
**Andrew, Wm. T.** See Tsujita, M. J., 193.  
**Apablaza, J. U. and Robinson, A. G.** Effects of three species of aphids on barley, wheat or oats at various stages of plant growth, 367.  
**Atkinson, R. G.** A modified soil percolator for zoospore production and infection in studies on zoospore root pathogens, 332.  
**Baier, W. and Robinson, Geo. W.** Estimating yield components of wheat from calculated soil moisture, 617.  
**Ball, W. L.** See Simonovitch, D., 11.  
**Basset, I. J. and Crompton, C. W.** Air-borne pollen surveys in British Columbia, 251.  
**Beattie, D. J.** See Flint, H. L., 229.  
**Bergen, H. J.** See Kaldy, M. S., 335, and Smith, A. D., 457.  
**Bezeau, L. M.** See Johnston, A., 65, and Smoliak, S., 161.  
**Bezeau, L. M., Lutwick, L. E., Smith, A. D., and Johnston, A.** Effect of fertilization on chemical composition, nutritive value, and silica content of rough fescue, *Festuca scabrella*, 269.  
**Blatt, C. R.** Calcium-phosphorus relationships in the strawberry, 197.  
**Bolton, A. T.** The inactivation of veinbanding and latent C viruses in strawberries by heat treatment, 375.  
**Boyce, B. R.** See Flint, H. L., 229.  
**Bradner, N. R.** See Tyson, H., 441.  
**Brink, V. C., Mackay, J. Ross, Freyman, S., and Pearce, D. G.** Needle ice and seedling establishment in southwestern British Columbia, 135.  
**Burrage, R. H. and Gurba, J. B.** Phytotoxicity and wireworm-control efficacy of insecticidal dressings applied to cereal seed up to a year before planting, 665.  
**Burrage, R. H. and Saha, J. G.** Insecticide residues in spring wheat plants grown in the field from seed treated with aldrin or heptachlor, 114.  
**Campbell, A. B., Anderson, R. G., Green, G. J., Samborski, D. J., and Johnson, K. R.** Note on Manitou hard red spring wheat, 330.  
**Campbell, J. D. and McKerlie, E. M.** The evaluation of methods to determine sweet corn maturity for processing, 381.  
**Carson, R. B.** See Donovan, L. S., 273.  
**Caswell, H. R.** See Thompson, J. L., 121.  
**Chisholm, D. and Specht, H. B.** Effect of application rates of disulfoton and phorate, and of irrigation on aphid control and residues in canning peas, 175.  
**Chiykowski, L. N.** Some host plants of a Canadian isolate of the clover phyllody virus, 141.  
Reaction of some wheat varieties to aster yellows virus, 149.  
**Collins, W. B. and Irving, K. H.** Influence of daylength on auxin production in flower buds of the lowbush blueberry, 709.  
**Corns, Wm. G. and Dai, Tze-sen.** Effects of added surfactant on toxicity of picloram, 2,4-D and 2,4,5-T to *Populus tremuloides* Michx. and *P. balsamifera* L. saplings, 711.  
**Coupland, R. T.** See Darwent, A. L., 125.  
**Craig, D. L. and Aalders, L. E.** Avon raspberry, 116.  
**Crompton, C. W.** See Bassett, I. J., 251.  
**Cuddy, T. F.** See Wallen, V. R., 395.  
**Cutcliffe, J. A.** Effect of seed spacing on yield and size distribution of snap beans, 519.  
**Cutcliffe, J. A., MacKay, D. C., and Munro, D. C.** Effect of nitrogen, phosphorus, potassium and manure on size, rate of development, and yield of Brussels sprouts, 641.  
**Dai, Tze-sen.** See Corns, Wm. G., 711.  
**Darwent, A. L., Coupland, R. T., and Skoglund, N. A.** The potential of *Gypsophila paniculata* as a weed in Saskatchewan, 125.  
**Dekker, A. J.** See Evans, E. J., 319.  
**Dermine, P., Hidiroglou, M., and Hamilton, H. A.** Effects of temperature on yields and hydrolyzable carbohydrate content of alfalfa and timothy seedlings, 523.  
**Desjardins, R.** See Simonovitch, D., 11.  
**Desjardins, R. L.** Time series analysis in agrometeorological problems with emphasis on spectrum analysis, 477.  
**Desjardins, R. L. and Hansen, R. O.** Wind response of black porous disc and Bellani plate anemometers, 493.  
**Dew, D. A.** See Friesen, H. A., 533.  
**Dionne, J. L., Roy, P. O., Allard, O., et Granger, R. L.** Action de l'azote, du potassium et du magnésium sur deux vergers de pommiers McIntosh, 563.

- Donovan, L. S., Marr, H., and Carson, R. B.** Some empirical relationships between climate and seed quality in Mandarin (Ottawa) soybeans, 273.
- Downey, R. K.** See Thompson, J. L., 121.
- Durkee, A. B.** See Poapst, P. A., 263.
- Eaves, C. A.** See Forsyth, F. R., 717.
- Evans, E. J. and Dekker, A. J.** Use of soil contaminated with Sr-90 for seed production, 319.
- Faris, D. G. and Guitard, A. A.** Method of determining seeding rate in barley yields trials, 219.
- Flint, H. L., Boyce, B. R., and Beattie, D. J.** Index of injury — a useful expression of freezing injury to plant tissues as determined by the electrolytic method, 229.
- Forsyth, F. R.** See Hall, I. V., 157.
- Forsyth, F. R., Eaves, C. A., and Lockhart, C. L.** Controlling ethylene levels in the atmosphere of small containers of apples, 717.
- Forsyth, F. R. and Hall, I. V.** Rates of photosynthesis and respiration in leaves of the cranberry with emphasis on rates at low temperatures, 19.
- Oxygen absorption and ethylene production by developing cranberry fruit, 153.
- Freeman, Jack A.** The effects of applying paraquat, atrazine and simazine for weed control in raspberries in coastal British Columbia, 25.
- Freyman, S.** See Brink, V. C., 135.
- Friesen, H. A. and Dew, D. A.** The effect of two herbicides, bromoxynil and dicamba, on the transpiration of tartary buckwheat and barley, 533.
- Fulkerson, R. S.** See Mowat, D. N., 423.
- Fulkerson, R. S., Mowat, D. N., Tossell, W. E., and Winch, J. E.** Yield of dry matter, *in vitro*-digestible dry matter and crude protein of forages, 683.
- Fulton, J. M.** Stomatal aperture and evapotranspiration from field grown potatoes, 109.
- Gamble, D. S.** See Siminovitch, D., 11.
- Gamble, E. E.** See Mowat, D. N., 423.
- Gauthier, F. M.** See St-Pierre, C. A., 507.
- Gfeller, F. and Halstead, R. L.** Selection for cooking quality in field peas, 631.
- Gill, C. C.** Susceptibility of common and durum spring wheats to barley yellow dwarf virus, 571.
- Goplen, B. P.** See Pankiw, P., 653.
- Grainger, P. N.** See Wallen, V. R., 395.
- Granger, R. L.** See Dionne, J. L., 563.
- Green, G. J.** See Campbell, A. B., 330.
- Green, Ralph J., Jr.** See Mussell, Harry W., 635.
- Guitard, A. A.** See Faris, D. G., 219, and Kaufmann, M. L., 73.
- Gurba, J. B.** See Burrage, R. H., 665.
- Hall, I. V.** See Forsyth, F. R., 19 and 153.
- Hall, I. V. and Forsyth, F. R.** Respiration rates of developing fruits of the lowbush blueberry, 157.
- Halstead, R. L.** See Gfeller, F., 631.
- Hamilton, H. A.** See Dermine, P., 523.
- Hanna, M. R.** See Hawn, E. J., 203.
- Hansen, R. O.** See Desjardins, R. L., 493.
- Harcourt, D. G.** Spatial arrangement of the eggs of *Hylemya brassicae* (Bouché), and a sequential sampling plan for use in control of the species, 461.
- Hawn, E. J. and Hanna, M. R.** Influence of stem nematode infestation on bacterial wilt reaction and forage yield of alfalfa varieties, 203.
- Heinrichs, D. H.** Roamer alfalfa, 220.
- Rate of germination of alfalfa varieties at four temperatures and relationship to winterhardness, 301.
- Seed increase of alfalfa in growth chambers with *Megachile rotundata* F., 691.
- Hergert, G. B. and Hurd, E. A.** Evaluation of a self-propelled binder for harvesting research crops, 719.
- Hidiroglou, M.** See Dermine, P., 523.
- Hobbs, E. H.** See Smith, A. D., 457.
- Hodgson, W. A. and Sharma, K. P.** Restoration of virulence of stored cultures of *Phytophthora infestans*, 447.
- Hurd, E. A.** See Hergert, G. B., 719.
- Irving, K. H.** See Collins, W. B., 709.
- Johnson, K. R.** See Campbell, A. B., 330.
- Johnston, A.** See Bezeau, L. M., 269, and Smoliak, S., 539.
- Johnston, A., Bezeau, L. M., and Smoliak, S.** Variation in silica content of range grasses, 65.
- Johnston, A. and MacDonald, M. D.** Floral initiation and seed production in *Festuca scabrella* Torr., 577.

- Johnston, A., Smoliak, S., Smith, A. D., and Lutwick, L. E.** Improvement of south-eastern Alberta range with fertilizers, 671.
- Kaldy, M. S., Bergen, H. J., and Ramage, Christina T.** A washing apparatus for use in fiber determination, 335.
- Kaufmann, M. L. and Guitard, A. A.** The effect of seed size on early plant development in barley, 73.
- Kaul, Rudolf.** A survey of water suction forces in some Prairie wheat varieties, 323.
- Kemp, W. G.** Natural occurrence of tobacco ringspot virus in *Pelargonium* in Ontario, 295.
- Klinck, H. R.** See St-Pierre, C. A., 507.
- Knowles, R. P.** See Smith, J. Drew, 679.
- Krogman, K. K.** Evapotranspiration by irrigated grass as related to fertilizer, 281.
- Kung, S. D.** See Teskey, B. J. E., 311.
- LaCroix, L. J.** See Schreiber, K., 455.
- Larter, E. N.** The effect of (2-chloroethyl) trimethylammonium chloride (CCC) on certain agronomic traits of barley, 413.
- Lawrence, T.** Effect of age on the germination and emergence of Russian wild ryegrass seed harvested by two methods at progressive rates of maturity, 181.  
Effect of a wheat companion crop on the seed yield of Russian wild ryegrass, 585.  
Orbit, tall wheatgrass, 611.  
Sawki, Russian wild ryegrass, 612.
- Lee, C. C. and Sosulski, F. W.** Relationship of ash content and stage of growth to radiostrontium uptake by wheat, 320.
- Lockhart, C. L.** Effect of temperature and various CO<sub>2</sub> and O<sub>2</sub> concentrations on growth of *Typhula* sp., a parasitic fungus of strawberry plants, 450.  
Influence of controlled atmospheres on the growth of *Gloeosporium album* in vitro, 649.  
See also Forsyth, F. R., 717.
- Looney, Norman E.** Effect of N-dimethylaminosuccinamic acid on ripening and respiration of apple fruits, 549.
- Longley, Richmond W.** The frost-free period in Alberta, 239.
- Lutwick, L. E.** See Bezeau, L. M., 269, Johnston, A., 671, and Smoliak, S., 539.
- Lyall, L. H.** See Nuttall, V. W., 454.
- MacDonald, M. D.** See Johnston, A., 577.
- MacKay, D. C.** See Cutcliffe, J. A., 641.
- Mackay, J. Ross.** See Brink, V. C., 135.
- MacLaren, R. B.** See Sterling, J. D. E., 715.
- Manson, G. F.** See Miles, J. R. W., 187.
- Marr, H.** See Donovan, L. S., 273.
- Marshall, H. H. and Walkof, C.** Supersweet garden pea, 118.
- Maw, M. G.** Periodicities in the influences of air ions on the growth of garden cress, *Lepidium sativum* L., 499.
- May, James.** See Welsh, Maurice F., 51 and 703.
- McEvoy, E. T.** Influence of photoperiod and light intensity on uptake of radiophosphorus by *Chrysanthemum* and *Pelargonium*, 33.
- McKeen, C. D. and Mountain, W. B.** Soil fumigation for control of *Verticillium* wilt of eggplant, 1.
- McKerlie, E. M.** See Campbell, J. D., 381.
- Miles, J. R. W., Manson, G. F., Sans, W. W., and Niemczyk, H. D.** Translocation of diazinon from planting water by cabbage and tobacco seedlings, 187.
- Molberg, E. S.** Tolerance of flax to dicamba applied to the foliage and to the soil, 593.
- Morf, W.** See Powell, J. M., 222.
- Morre, D. James.** See Mussell, Harry W., 635.
- Mountain, W. B.** See McKeen, C. D., 1.
- Mowat, D. N.** See Fulkerson, R. S., 683.
- Mowat, D. N., Fulkerson, R. S., and Gamble, E. E.** Relationship between stem diameter and *in vitro* digestibility of forages, 423.
- Munro, D. C.** See Cutcliffe, J. A., 641.
- Mussell, Harry W., Morre, D. James, and Green, Ralph J., Jr.** Acceleration of bean leaf abscission by 2,4-dichlorophenoxyacetic acid applied in dimethylsulfoxide, 635.
- Nelson, S. H.** Partial transfer of rooting stimulus across graft unions in *Malus*, 327.  
See also Poapst, P. A., 263.
- Niemczyk, H. D.** See Miles, J. R. W., 187.
- Nuttall, V. W.** Butter King lettuce, 453.
- Nuttall, V. W. and Lyall, L. H.** Gardentreat sweet corn, 454.
- Ouellet, C. E. and Sherk, L. C.** Woody ornamental plant zonation. I. Indices of winter-hardiness, 231.  
Woody ornamental plant zonation. II. Suitability indices of localities, 339.  
Woody ornamental plant zonation. III. Suitability map for the probable winter survival of ornamental trees and shrubs, 351.

- Pankiw, P. and Goplen, B. P.** The confinement period required to rid honeybees of foreign sweetclover pollen, 653.
- Pearce, D. G.** See Brink, V. C., 135.
- Pelton, W. L.** The effect of a windbreak on wind travel, evaporation and wheat yield, 209.
- Piening, L. J.** Note on the effect of N, P, and K in several Alberta soils on the resistance of Gateway barley to the net blotch disease, 713.
- Pittman, U. J.** Biomagnetic responses in Kharkov 22 M.C. winter wheat, 389.
- Plessers, A. G.** Complementary temperature-labile genes for growth inhibition and dwarfing in flax, 427.
- Poapst, P. A., Durkee, A. B., and Nelson, S. H.** A modified bean root initiation test for auxins and inhibitors, 263.
- Powell, J. M. and Morf, W.** A 24-hour impaction spore collector, 222.
- Pratt, Michael J.** Reduced winter survival and yield of clover infected with clover yellow mosaic virus, 289.
- Pringle, W. L. and van Ryswyk, A. L.** Pre-drying increases initial productivity of two sedge-peat soils, 217.
- Response of reed canarygrass on sedge-organic soil to fertility levels and temperature in the growth room, 305.
- Putt, Eric D.** Sunflower variety Armavirec, 331.
- Ramage, Christina T.** See Kaldy, M. S., 335.
- Rausser, W. E.** A non-destructive method for selecting barley seedlings exhibiting early tolerance to salinity, 614.
- Robertson, Geo. W.** See Baier, W., 617.
- Robinson, A. G.** See Apablaza, J. U., 367.
- Ross, R. G.** See Stewart, D. K. R., 169.
- Roy, P. O.** See Dionne, J. L., 563.
- Saha, J. G.** See Burrage, R. H., 114.
- Saha, J. G. and Stewart, W. W. A.** Heptachlor, heptachlor epoxide, and gamma-chlordane residues in soil and rutabaga after soil and surface treatments with heptachlor, 79.
- St-Pierre, C. A., Klinck, H. R., and Gauthier, F. M.** Early generation selection under different environments as it influences adaptation of barley, 507.
- Samborski, D. J.** See Campbell, A. B., 330.
- Sans, W. W.** See Miles, J. R. W., 187.
- Santerre, Jacquelin.** Evaluation de l'importance relative du sol et de la semence comme source d'inoculum de la tache argentée des pommes de terre au moyen d'essais de répression, 695.
- Schneider, E. F.** The flowering response of azaleas as influenced by photoperiod, 112.
- Schreiber, K. and LaCroix, L. J.** Manufacture of coated seed with delayed germination, 455.
- Seaman, W. L. and Wallen, V. R.** Effect of exposure to radio-frequency electric fields on seed-borne microorganisms, 39.
- Sharma, K. P.** See Hodgson, W. A., 447.
- Sherk, L. C.** See Ouellet, C. E., 231, 339 and 351.
- Siminovitsh, D., Ball, W. L., Desjardins, R., and Gamble, D. S.** Use of protein-based foams to protect plants against frost, 11.
- Simpson, G. M.** See Voldeng, H. D., 359, and Weber, R. P., 657.
- Skoglund, N. A.** See Darwent, A. L., 125.
- Skoropad, W. P.** Effect of temperature on the ability of *Colletotrichum graminicola* to form appressoria and penetrate barley leaves, 431.
- Smith, A. D.** See Bezeau, L. M., 269, and Johnston, A., 671.
- Smith, A. D., Hobbs, E. H., and Bergen, H. J.** The Gen atmometer, 457.
- Smith, J. Drew and Knowles, R. P.** Mass selection for resistance to *Selenophoma bromigena* in northern and southern types of *Bromus inermis*, 679.
- Smoliak, S.** See Johnston, A., 65 and 671.
- Smoliak, S. and Bezeau, L. M.** Chemical composition and *in vitro* digestibility of range forage plants of the *Stipa-Bouteloua* prairie, 161.
- Smoliak, S., Johnston, A., and Lutwick, L. E.** Productivity and durability of crested wheatgrass in southeastern Alberta, 539.
- Sosulski, F. W.** See Lee, C. C., 320.
- Specht, H. B.** See Chisholm, D., 175.
- Sterling, J. D. E. and MacLaren, R. B.** Cabot oats, 715.
- Stewart, D. K. R. and Ross, R. G.** Mercury residues in apples in relation to spray date, variety and chemical composition of fungicide, 169.
- Stewart, W. W. A.** See Saha, J. G., 79.
- Stoskopf, N. C.** Yield performance of upright-leaved selections of winter wheat in narrow row spacings, 597.
- Teskey, B. J. E. and Kung, S. D.** Some effects of carbaryl on two apple cultivars, 311.
- Thompson, J. L.** Modifications to the Swift Current forage harvester II, 459.

- Thompson, J. L., Caswell, H. R., and Downey, R. K.** The Swift Current sicklebar forage harvester III, 121.
- Thompson, L. S. and Willis, C. B.** Distribution and abundance of *Sitona hispidula* (F.) and the effect of insect injury on root decay of red clover in the Maritime provinces, 435.
- Tossell, W. E.** See Fulkerson, R. S., 683.
- Townsend, L. R.** Effect of ammonium nitrogen and nitrate nitrogen, separately and in combination, on the growth of the highbush blueberry, 555.
- Tsujita, M. J. and Andrew, Wm. T.** The influence of N<sup>6</sup>-benzyladenine on the storage, marketability and post-harvest chlorophyll content of cabbage, 193.
- Turley, R. H.** Effect of frequency of irrigation on soil moisture and turf quality, 89.
- Twamley, B. E.** Seed size and seedling vigor in birdsfoot trefoil, 603.
- Tyson, H. and Bradner, N. R.** The interaction of variety and environment in flax trials, 441.
- van Ryswyk, A. L.** See Pringle, W. L., 217 and 305.
- Voisey, Peter W.** An instrument for counting experimental material, 225.
- Voldeng, H. D. and Simpson, G. M.** The relationship between photosynthetic area and grain yield per plant in wheat, 359.
- Walker, E. K.** Evaluation of foliar sprays for control of weather fleck on flue-cured tobacco, 99.
- Walkof, C.** The "Baseball" series of dwarf cabbage varieties, 119.  
See also Allen, H. T., 117, and Marshall, H. H., 118.
- Wallen, V. R.** See Seaman, W. L., 39.
- Wallen, V. R., Cuddy, T. F., and Grainger, P. N.** Epidemiology and control of *Ascochyta pinodes* on field peas in Canada, 395.
- Ward, G. M.** Observations of root growth in the greenhouse cucumber, 215.
- Weber, R. P. and Simpson, G. M.** Influence of water on wild rice (*Zizania aquatica* L.) grown in a Prairie soil, 657.
- Welsh, Maurice F. and May, James.** Virus-induced wood pitting in the root systems of apple seedlings, and its effects on tree vigor, 51.  
Virus etiology of foliar vein-flecking or ring pattern, and fruit russetting or blotch on apple, 703.
- Willis, C. B.** See Thompson, L. S., 435.
- Wilner, J.** Changes in electric resistance of living and injured tissues of apple shoots during winter and spring, 469.
- Wilson, D. B.** Growth of *Hordeum jubatum* under various soil conditions and degrees of plant competition, 405.
- Winch, J. E.** See Fulkerson, R. S., 683.
- Woolliams, G. E.** The isolation of *Verticillium* in buds and pedicels of peach, apricot and cherry, 61.